

Table 11.6. Mean catch-per-unit-effort and (standard error) for fishes collected by large hoop netting in La Grange Pool of the Illinois River using stratified random sampling in 2007. The statistics under ALL pertain to unbiased means over ALL strata sampled by this gear (as indicated by nonmissing entries below and by Table 2.6). See text for definitions of catch-per-unit-effort and standard error.

Common name	ALL	Main channel border, unstructured	Side channel border
Gizzard shad	0.01		0.17
	(0.01)		(0.10)
Grass carp	0.51	0.53	0.17
	(0.47)	(0.50)	(0.13)
Common carp	2.94	3.07	0.91
	(1.88)	(2.00)	(0.41)
Silver carp	0.13	0.13	0.13
	(0.07)	(0.07)	(0.13)
Bighead carp	0.10	0.10	0.21
	(0.05)	(0.05)	(0.13)
River carpsucker	0.03	0.03	
	(0.03)	(0.03)	
Smallmouth buffalo	4.79	4.90	3.14
	(1.49)	(1.58)	(1.66)
Black buffalo	0.01		0.08
	(0.00)		(0.06)
Channel catfish	2.74	2.85	1.13
	(0.88)	(0.94)	(0.37)
Flathead catfish	0.01		0.08
	(0.00)		(0.06)
White bass	0.03	0.03	
	(0.03)	(0.03)	
White perch x yellow bass hybrid	0.00		0.04
	(0.00)		(0.04)
Freshwater drum	0.29	0.31	
	(0.15)	(0.16)	