

Table 17.2. Mean catch-per-unit-effort and (standard error) for fishes collected by mini fyke netting in Pool 8 of the Mississippi River using fixed-site sampling in 2007. See methods for definitions of catch-per-unit-effort and standard error.

Common name	Tailwater
Longnose gar	0.69
	(0.69)
Bowfin	0.27
	(0.27)
Gizzard shad	0.27
	(0.27)
Spotfin shiner	0.96
	(0.65)
Emerald shiner	1.60
	(0.94)
River shiner	0.78
	(0.52)
Spottail shiner	2.61
	(1.90)
Weed shiner	4.05
	(2.46)
Mimic shiner	0.50
	(0.29)
Bullhead minnow	8.89
	(7.15)
Silver redhorse	0.23
	(0.23)
Shorthead redhorse	0.23
	(0.23)
Tadpole madtom	0.23
	(0.23)
Northern pike	0.77
	(0.51)
Brook silverside	1.15
	(1.15)
Rock bass	1.69
	(0.66)
Pumpkinseed	0.27
	(0.27)

Table 17.2 continued.

Common name	Tailwater
Orangespotted sunfish	0.69
	(0.44)
Bluegill	33.13
	(8.51)
Largemouth bass	2.00
	(0.89)
Black crappie	0.54
	(0.54)
Unidentified Centrarchidae (sunfishes)	9.79
	(5.43)
Logperch	1.01
	(0.38)
Yellow perch	0.27
	(0.27)
Sauger	0.23
	(0.23)